EB-990U



DATASHEET / BROCHURE

























Tick all the boxes with this bright and scalable WUXGA projector that offers multiple connectivity solutions and is simple to set up.

Maximise your students' potential with this bright Full HD projector that's capable of producing a large and scalable screen size. It's long-lasting lamp provides up to ten years' worth of lessons before a replacement lamp is required or the air filter needs attention¹. It's easy to set up and offers a range of connectivity solutions, so you can quickly access content from multiple devices.

Excellent visibility for every student

With this Full HD projector content will be bright, vivid and clear ensuring that everyone can engage with the lesson. Providing excellent visibility, this projector is scalable up to 300 inches and is bright even in high ambient lighting conditions. It's all thanks to the high 3,800-lumen output and 15,000:1 contrast ratio.

Minimal maintenance

When resources are limited, our reliable projectors and long-lasting lamps help to eliminate downtime and unnecessary service costs. Imagine what you could achieve with minimal interruptions - our projectors help to make that a reality with up to 10 years' worth of lessons before a replacement lamp is required or the air filter needs attention¹.

Easy set up

Every classroom is different so you need a projector that is simple to set up and position. With our wide 1.6x optical zoom and vertical/horizontal keystone correction, it's easy to get up and running quickly.

Utilise multiple devices

Capture your students' attention and nurture a collaborative environment with hassle-free connectivity solutions. With the iProjection app, it's easy to display content from PCs and smart devices². The split-screen function can be utilised to show content from multiple devices simultaneously, while the moderator function lets you review content before it is displayed.

KEY FEATURES

- Bright and vivid display
 Full HD projector offering 3,800 lumens and 15,000:1 contrast ratio
- Minimal maintenance
 10 years' worth of lessons before maintenance is required ¹
- Flexible installation
 Horizontal/vertical keystone correction and 1.6x optical zoom
- Enhanced connectivity
 Dual HDMI ports; MHL support; RJ-45
 Ethernet; optional Wi-Fi
- Collaborative features
 iProjection app, split-screen function,
 moderator function





PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology, RGB liquid crystal shutter

LCD Panel 0.67 inch with MLA (D10)

IMAGE

Color Light Output 3,800 Lumen- 2,440 Lumen (economy)

White Light Output 3,800 Lumen - 2,440 Lumen (economy) In accordance with ISO 21118:2013

Resolution WUXGA, 1920 x 1200, 16:10

 High Definition
 Full HD

 Aspect Ratio
 16:10

 Contrast Ratio
 15,000 : 1

 Light source
 Lamp

Lamp UHE, 210 W, 6,000 h durability, 12,000 h durability (economy mode)

Keystone Correction Auto vertical: ± 30 °, Manual horizontal ± 30 °

Colour Video Processing 10 Bits
2D Vertical Refresh Rate 50 Hz - 85 Hz
Colour Reproduction Upto 1.07 billion colours

OPTICAL

Throw Ratio 1.39 - 2.23:1

Zoom Manual, Factor: 1.6

Lens Optical

Screen Size 30 inches - 300 inches Projection Distance Wide/Tele 1.79 m - 2.89 m (60 inch screen

Projection Lens F Number 1.5 - 1.9
Projection Lens Focal Length 20.3 mm - 32.5 mm

Projection Lens Focus Manual
Offset 10:1

CONNECTIVITY

USB Display Function 3 in 1: Image / Mouse / Sound

Interfaces USB 2.0 Type A, USB 2.0 Type B, RS-232C, Wireless LAN IEEE 802.11b/g/n (optional), VGA in

(2x), VGA out, HDMI in (2x), Composite in, Component in (2x), RGB in (2x), Stereo mini jack audio out, Stereo mini jack audio in (2x), Ethernet interface (100 Base-TX / 10 Base-T), MHL,

Microphone input

Epson iProjection App Ad-Hoc / Infrastructure

ADVANCED FEATURES

Video Color Modes

Security Kensington lock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password

protection

2D Colour Modes Dynamic, Cinema, Presentation, sRGB, Blackboard

Other features AV Mute Slide, Automatic keystone correction, Built-in speaker, Direct Power on/off,

Document Camera Compatible, Easy OSD pre-setting, Horizontal and vertical keystone correction, MHL audio/video interface, Network projection, OSD copy function, PC Free, Quick Corner, Split-Screen-Function, Wireless LAN capable, iProjecton set-up by QR code

Blackboard, Cinema, Dynamic, Presentation, sRGB

Projector control via: AMX, Crestron, Control4, Extron

EB-990U

WHAT'S IN THE BOX

- Computer cable
- Main unit
- Power cable
- Remote control incl. batteries





PRODUCT SPECIFICATIONS

GENERAL

Power consumption 309 Watt, 227 Watt (economy), 0.2 Watt (standby)

Supply Voltage AC 100 V - 240 V, 50 Hz - 60 Hz

Product dimensions 309 x 293 x 105 mm (Width x Depth x Height)

Product weight 3.2 kg

 Noise Level
 Normal: 37 dB (A) - Economy: 28 dB (A)

 Supported Temperature
 Operation 5° C - 35° C, Storage -10° C - 60° C

 Supported Humidity
 Operation 20% - 80%, Storage 10% - 90%

If the projector is suspended from a ceiling or wall mount and installed in an environment with heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smoke or bubbles are used for event staging, or where aroma oils are frequently burned, it can make certain parts of our products susceptible to a material degradation which over time could

break and cause the projector to drop from the ceiling.

If you are concerned about the environment in which your projector is installed, or if you have any other questions, please contact our support department and they can provide additional

assistance.

Included Software EasyMP Monitor, iProjection, EasyMP Network Projection
Options Document camera, Soft carry case, Wireless LAN unit

Loudspeaker 16 Wat

Room Type / Application Huddle space / Portable, Meeting room / Classroom

Positioning Ceiling Mounted, Desktop

Colour White / Grey

TCO Certified Yes

OTHER

Warranty 36 months Carry in, Lamp: 36 months or 1,000 h

Optional warranty extension available

EB-990U

WHAT'S IN THE BOX

- Computer cable
- Main unit
- Power cable
- Remote control incl. batteries



OPTIONAL ACCESSORIES

- Soft Carry Case ELPKS70 V12H001K70
- Ceiling Mount (White) ELPMB23 V12H003B23
- Wireless LAN Adapter ELPAP10 V12H731P01
- ELPLP96
 - V13H010L96
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Active Speakers (2 x 15W) ELPSP02 V12H467040
- Active Speakers (2 x 15W) ELPSP02 V12H467040DA
- Air Filter ELPAF54 V13H134A54

LOGISTICS INFORMATION

SKU	V11H867040 V11H867041
EAN code	8715946642666
Country of Origin	Philippines
Layer	6 Units







* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

1. Dased oil 35 1742 Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway over 39 weeks of school use in a year. +47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711)

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal - 0,99 kr/min, Lokala samtal - 0,30 kr/min, Utlandssamtal - 0,89 kr/min)

Switzerland 022 592 7923
Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. Based on six hours of use per day, five days a week.

EB-990U

2. 2-Requires iProjection App and an internet connection compatible with IOS, Android and Google Chromebook devices only, and file sharing limitations may apply.

