


USM-BOSTAGE

UNIVERSAL SPEAKER MOUNT FOR B&O BEOSOUND STAGE SOUND BAR



future automation



USM-BOSTAGE

UNIVERSAL SPEAKER MOUNT FOR B&O BEOSOUND STAGE SOUND BAR

SPECIFICATION	MEASUREMENTS
Maximum Depth Adjustment	178mm (7")
Packaging Dimensions	860 x 90 x 60mm (33.85 x 3.54 x 2.36")
Shipping Weight	4Kg (9lb)
Speaker Mounting Dimensions	895mm W x 52.5mm H (35.2 x 2.1")
TV Mounting Patterns Supported	VESA 600, 500, 400, 300, 200 100 W x 400, 300, 200,100 H
Package Contents	1 x Speaker Plate, 2 x Upright Plates, 2 x Spacer Discs
Marine Suitable	Yes (Indoor)

USM-BOSTAGE



UNIVERSAL SPEAKER MOUNT FOR B&O BEOSOUND STAGE SOUND BAR



future automation

MOUNTING CONFIGURATIONS



Different screen depths will require the USM-BOSTAGE to be set at different locations along the VESA slots or rotated, resulting in different depths between the back of the TV and the speaker plate.



USM-BOSTAGE

UNIVERSAL SPEAKER MOUNT FOR B&O BEOSOUND STAGE SOUND BAR

DIMENSIONS



USM-BOSTAGE


UNIVERSAL SPEAKER MOUNT FOR B&O BEOSOUND STAGE SOUND BAR

PRODUCT CONFIGURATION EXAMPLES




future automation

PS40 (Pull & Swivel 40" Mount) Example



FM (Floor Mount) Example



PSE90 (Plasma Swivel Electric) Example

